

# rfc3712

Schéma pour les services d'impression

## objectClass

slpServicePrinter  
( 1.3.18.0.2.6.254 NAME 'slpServicePrinter' DESC 'Service Location Protocol (SLP) information.' AUXILIARY SUP slpService )  
printerAbstract  
( 1.3.18.0.2.6.258 NAME 'printerAbstract' DESC 'Printer related information.' ABSTRACT SUP top MAY ( printer-name \$ printer-natural-language-configured \$ printer-location \$ printer-info \$ printer-more-info \$ printer-make-and-model \$ printer-multiple-document-jobs-supported \$ printer-charset-configured \$ printer-charset-supported \$ printer-generated-natural-language-supported \$ printer-document-format-supported \$ printer-color-supported \$ printer-compression-supported \$ printer-pages-per-minute \$ printer-pages-per-minute-color \$ printer-finishings-supported \$ printer-number-up-supported \$ printer-sides-supported \$ printer-media-supported \$ printer-media-local-supported \$ printer-resolution-supported \$ printer-print-quality-supported \$ printer-job-priority-supported \$ printer-copies-supported \$ printer-job-k-octets-supported \$ printer-current-operator \$ printer-service-person \$ printer-delivery-orientation-supported \$ printer-stacking-order-supported \$ printer-output-features-supported ) )  
printerService  
( 1.3.18.0.2.6.255 NAME 'printerService' DESC 'Printer information.' STRUCTURAL SUP printerAbstract MAY ( printer-uri \$ printer-xri-supported ) )  
printerServiceAuxClass  
( 1.3.18.0.2.6.257 NAME 'printerServiceAuxClass' DESC 'Printer information.' AUXILIARY SUP printerAbstract MAY ( printer-uri \$ printer-xri-supported ) )  
printerIPP  
( 1.3.18.0.2.6.256 NAME 'printerIPP' DESC 'Internet Printing Protocol (IPP) information.' AUXILIARY SUP top MAY ( printer-ipp-versions-supported \$ printer-multiple-document-jobs-supported ) )  
printerLPR  
( 1.3.18.0.2.6.253 NAME 'printerLPR' DESC 'LPR information.' AUXILIARY SUP top MUST ( printer-name ) MAY ( printer-aliases ) )

## Attributes

printer-uri  
( 1.3.18.0.2.4.1140 NAME 'printer-uri' DESC 'A URI supported by this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 SINGLE-VALUE )  
printer-xri-supported  
( 1.3.18.0.2.4.1107 NAME 'printer-xri-supported' DESC 'The unordered list of XRI (extended resource identifiers) supported by this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 )  
printer-name  
( 1.3.18.0.2.4.1135 NAME 'printer-name' DESC 'The site-specific administrative name of this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 SINGLE-VALUE )  
printer-natural-language-configured  
( 1.3.18.0.2.4.1119 NAME 'printer-natural-language-configured' DESC 'The configured natural language in which error and status messages will be generated (by default) by this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 SINGLE-VALUE )  
printer-location  
( 1.3.18.0.2.4.1136 NAME 'printer-location' DESC 'The physical location of this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 SINGLE-VALUE )  
printer-info

( 1.3.18.0.2.4.1139 NAME 'printer-info' DESC 'Descriptive information about this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 SINGLE-VALUE )  
printer-more-info  
( 1.3.18.0.2.4.1134 NAME 'printer-more-info' DESC 'A URI for more information about this specific printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 SINGLE-VALUE )  
printer-make-and-model  
( 1.3.18.0.2.4.1138 NAME 'printer-make-and-model' DESC 'Make and model of this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 SINGLE-VALUE )  
printer-ipp-versions-supported  
( 1.3.18.0.2.4.1133 NAME 'printer-ipp-versions-supported' DESC 'IPP protocol version(s) that this printer supports.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 )  
printer-multiple-document-jobs-supported  
( 1.3.18.0.2.4.1132 NAME 'printer-multiple-document-jobs-supported' DESC 'Indicates whether or not this printer supports more than one document per job.' EQUALITY booleanMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.7 SINGLE-VALUE )  
printer-charset-configured  
( 1.3.18.0.2.4.1109 NAME 'printer-charset-configured' DESC 'The configured charset in which error and status messages will be generated (by default) by this printer.' EQUALITY caseIgnoreMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.1563 SINGLE-VALUE )  
printer-charset-supported  
( 1.3.18.0.2.4.1131 NAME 'printer-charset-supported' DESC 'Set of charsets supported for the attribute values of syntax DirectoryString for this directory entry.' EQUALITY caseIgnoreMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.1563 )  
printer-generated-natural-language-supported  
( 1.3.18.0.2.4.1137 NAME 'printer-generated-natural-language-supported' DESC 'Natural language(s) supported for this directory entry.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.1563 )  
printer-document-format-supported  
( 1.3.18.0.2.4.1130 NAME 'printer-document-format-supported' DESC 'The possible source document formats which may be interpreted and printed by this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 )  
printer-color-supported  
( 1.3.18.0.2.4.1129 NAME 'printer-color-supported' DESC 'Indicates whether this printer is capable of any type of color printing at all, including highlight color.' EQUALITY booleanMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.7 SINGLE-VALUE )  
printer-compression-supported  
( 1.3.18.0.2.4.1128 NAME 'printer-compression-supported' DESC 'Compression algorithms supported by this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15255 )  
printer-pages-per-minute  
( 1.3.18.0.2.4.1127 NAME 'printer-pages-per-minute' DESC 'The nominal number of pages per minute which may be output by this printer.' EQUALITY integerMatch ORDERING integerOrderingMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.27 SINGLE-VALUE )  
printer-pages-per-minute-color  
( 1.3.18.0.2.4.1126 NAME 'printer-pages-per-minute-color' DESC 'The nominal number of color pages per minute which may be output by this printer.' EQUALITY integerMatch ORDERING integerOrderingMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.27 SINGLE-VALUE )  
printer-finishings-supported  
( 1.3.18.0.2.4.1125 NAME 'printer-finishings-supported' DESC 'The possible finishing operations supported by this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15255 )  
printer-number-up-supported  
( 1.3.18.0.2.4.1124 NAME 'printer-number-up-supported' DESC 'The possible numbers of print-stream pages to impose upon a single side of an instance of a selected medium.' EQUALITY integerMatch ORDERING integerOrderingMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.27 )  
printer-sides-supported  
( 1.3.18.0.2.4.1123 NAME 'printer-sides-supported' DESC 'The number of impression sides (one or two) and the two-sided impression rotations supported by this printer.' EQUALITY caseIgnoreMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 )  
printer-media-supported  
( 1.3.18.0.2.4.1122 NAME 'printer-media-supported' DESC 'The standard names/types/sizes (and optional color suffixes) of the media supported by this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15255 )  
printer-media-local-supported  
( 1.3.18.0.2.4.1117 NAME 'printer-media-local-supported' DESC 'Site-specific names of media supported by this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15255 )  
printer-resolution-supported

---

( 1.3.18.0.2.4.1121 NAME 'printer-resolution-supported' DESC 'List of resolutions supported for printing documents by this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15255 )  
printer-print-quality-supported  
( 1.3.18.0.2.4.1120 NAME 'printer-print-quality-supported' DESC 'List of print qualities supported for printing documents on this printer.' EQUALITY caseIgnoreMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 )  
printer-job-priority-supported  
( 1.3.18.0.2.4.1110 NAME 'printer-job-priority-supported' DESC 'Indicates the number of job priority levels supported by this printer.' EQUALITY integerMatch ORDERING integerOrderingMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.27 SINGLE-VALUE )  
printer-copies-supported  
( 1.3.18.0.2.4.1118 NAME 'printer-copies-supported' DESC 'The maximum number of copies of a document that may be printed as a single job on this printer.' EQUALITY integerMatch ORDERING integerOrderingMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.27 SINGLE-VALUE )  
printer-job-k-octets-supported  
( 1.3.18.0.2.4.1111 NAME 'printer-job-k-octets-supported' DESC 'The maximum size in kilobytes (1,024 octets actually) incoming print job that this printer will accept.' EQUALITY integerMatch ORDERING integerOrderingMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.27 SINGLE-VALUE )  
printer-current-operator  
( 1.3.18.0.2.4.1112 NAME 'printer-current-operator' DESC 'The identity of the current human operator responsible for operating this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 SINGLE-VALUE )  
printer-service-person  
( 1.3.18.0.2.4.1113 NAME 'printer-service-person' DESC 'The identity of the current human service person responsible for servicing this printer.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 SINGLE-VALUE )  
printer-delivery-orientation-supported  
( 1.3.18.0.2.4.1114 NAME 'printer-delivery-orientation-supported' DESC 'The possible delivery orientations of pages as they are printed and ejected from this printer.' EQUALITY caseIgnoreMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 )  
printer-stacking-order-supported  
( 1.3.18.0.2.4.1115 NAME 'printer-stacking-order-supported' DESC 'The possible stacking order of pages as they are printed and ejected from this printer.' EQUALITY caseIgnoreMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 )  
printer-output-features-supported  
( 1.3.18.0.2.4.1116 NAME 'printer-output-features-supported' DESC 'The possible output features supported by this printer.' EQUALITY caseIgnoreMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 )  
printer-aliases  
( 1.3.18.0.2.4.1108 NAME 'printer-aliases' DESC 'List of site-specific administrative names of this printer in addition to the value specified for printer-name.' EQUALITY caseIgnoreMatch SUBSTR caseIgnoreSubstringsMatch SYNTAX 1.3.6.1.4.1.1466.115.121.1.15127 )